ELSEVIER

Developmental Brain Research 94 (1996) 251–252

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Adair, J., see Filloux, F.M. (94) 81
Adams, M.B., Simonetta, G. and McMillen, I.C.
The non-neurogenic catecholamine response of the fetal adrenal to hypoxia is dependent on activation of voltage sensitive Ca^{2+} channels (94) 182
Alho, H., see Podkletnova, I. (94) 197
Andersen, C., see Lieb, K. (94) 37
Ankrum, M.T., see Chaitin, M.H. (94) 92
Arnaiz, C.O., Taylor, L.L., Stehouwer, D.J. and Van Hartesveldt, C.
An aromatic L-amino acid decarboxylase inhibitor blocks L-dopa-induced air-stepping in neonatal rats (94) 234
Arnauld, E., see Demotes-Mainard, J. (94) 166
Arsaut, J., see Demotes-Mainard, J. (94) 166
Avoli, M., see Psarropoulou, C. (94) 52

Bär, P.R., see Joosten, E.A.J. (94) 99
Barrios, M. and Liljequist, S.
Developmental changes in glutamate receptor-activated translocation of protein kinase C in cerebellar granule neurons (94) 22
Bennett Jr., J.P., see Jung, A.B. (94) 109
Bennett Jr., J.P., see Jung, A.B. (94) 121
Bennett Jr., J.P., see Jung, A.B. (94) 133
Berman, N.E.J., see Johnson, J.K. (94) 159
Black, I.B., see Lu, N. (94) 31
Bona, E., see McRae, A. (94) 44

Chaitin, M.H., Ankrum, M.T. and Wortham, H.S.
Distribution of CD44 in the retina during development and the rds degeneration (94) 92
Choi, S.J. and Kellogg, C.K.
Adolescent development influences functional responsiveness of noradrenergic projections to the hypothalamus in male rats (94) 144
Coates, P.W., see Donahue, L.M. (94) 67
Collard, K.J., see Nanda, D. (94) 238
Costantini, L.C., see Snyder-Keller, A. (94) 246

Daude, N., Ellie, E., Reichardt, J.K.V. and Petry, K.G.
In vivo and in vitro expression of rat galactose-1-phosphate uridyltransferase (GALT) in the developing central and peripheral nervous system (94) 190
Demotes-Mainard, J., Henry, C., Jeantet, Y., Arsaut, J. and Arnauld, E.
Postnatal ontogeny of dopamine D3 receptors in the mouse brain: autoradiographic evidence for a transient cortical expression (94) 166
Diaz, A., see Sanchez, M.D. (94) 14
DiCicco-Bloom, E., see Lu, N. (94) 31
DiGiulio, A.M., see Tenconi, B. (94) 175
Donahue, L.M., Coates, P.W. and Reinhart, A.J.
Characterization of developmental stage and neuronal potential of the rat PNS-derived stem cell line, RT4-AC (94) 67
DonCarlos, L.L.
Developmental profile and regulation of estrogen receptor (ER) mRNA expression in the preoptic area of prenatal rats (94) 224

Ellie, E., see Daude, N. (94) 190

Filloux, F.M., Adair, J. and Narang, N.
The temporal evolution of striatal dopamine receptor binding and mRNA expression following hypoxia-ischemia in the neonatal rat (94) 81

Gispen, W.H., see Joosten, E.A.J. (94) 99
Gorio, A., see Tenconi, B. (94) 175
Greensmith, L., Hind, A.H. and Vrbová, G.
Transient disruption of nerve-muscle interaction shortly after birth permanently alters the development of the rat soleus muscle (94) 152

Hagberg, H., see McRae, A. (94) 44
Henry, C., see Demotes-Mainard, J. (94) 166
Hind, A.H., see Greensmith, L. (94) 152
Hirosawa, K., see Watanabe, T. (94) 60

Jeantet, Y., see Demotes-Mainard, J. (94) 166
Johnson, J.K. and Berman, N.E.J.
A transient phase of cell death in the developing medial forebrain of the perinatal ferret (94) 159
Joosten, E.A.J., Reshilov, L.N., Gispen, W.H. and Bär, P.R.
Embryonic form of N-CAM and development of the rat corticospinal tract; immunoelectron microscopical localization during spinal white matter ingrowth (94) 99
Jung, A.B. and Bennett Jr., J.P.
Development of striatal dopaminergic function. I. Pre- and postnatal development of mRNAs and binding sites for striatal D1 (D1a) and D2 (D2a) receptors (94) 109
Jung, A.B. and Bennett Jr., J.P.
Development of striatal dopaminergic function. II: Dopaminergic regulation of transcription of the immediate early gene *zif*268 and of D1 (D1a) and D2 (D2a) receptors during pre- and postnatal development (94) 121
Jung, A.B. and Bennett Jr., J.P.
Development of striatal dopaminergic function. III: Pre- and postnatal development of striatal and cortical mRNAs for the neurotrophin receptors $trkB^{TK+}$ and trkC and their regulation by synaptic dopamine (94) 133

Kellogg, C.K., see Choi, S.J. (94) 144
Kent, S., Kernahan, S.D. and Levine, S.
Effects of excitatory amino acids on the hypothalamic-pituitary-adrenal axis of the neonatal rat (94) 1
Kernahan, S.D., see Kent, S. (94) 1

Laorden, M.L., see Sanchez, M.D. (94) 14
Lazarov, N., see Lieb, K. (94) 37
Lesma, E., see Tenconi, B. (94) 175
Levine, S., see Kent, S. (94) 1
Lieb, K., Andersen, C., Lazarov, N., Zienecker, R., Urban, I., Reisert, I. and Pilgrim, C.
Pre- and postnatal development of dopaminergic neuron numbers in the male and female mouse midbrain (94) 37
Liljequist, S., see Barrios, M. (94) 22
Lu, N., Black, I.B. and DiCicco-Bloom, E.
A paradigm for distinguishing the roles of mitogenesis and trophism in neuronal precursor proliferation (94) 31

Matsushima, S., see Watanabe, T. (94) 60
McMillen, I.C., see Adams, M.B. (94) 182
McRae, A., Bona, E. and Hagberg, H.
Microglia-astrocyte interactions after cortisone treatment in a neonatal hypoxia-ischemia model (94) 44
Milanés, M.V., see Sanchez, M.D. (94) 14

Nagamatsu, S., see Watanabe, T. (94) 60
Nakahara, K., see Watanabe, T. (94) 60
Nanda, D., Tolputt, J. and Collard, K.J.
Changes in brain glutathione levels during postnatal development in the rat (94) 238
Narang, N., see Filloux, F.M. (94) 81

Okazaki, M., see Watanabe, T. (94) 60

Pazos, A., see Sanchez, M.D. (94) 14
Petry, K.G., see Daude, N. (94) 190
Pilgrim, C., see Lieb, K. (94) 37
Podkletnova, I., Raevsky, V. and Alho, H.
Reduction of GABAergic transmission and alterations in behavior after 6-OHDA treatment of rats (94) 197
Psarropoulou, C. and Avoli, M.
Developmental features of 4-aminopyridine induced epileptogenesis (94) 52

Raevsky, V., see Podkletnova, I. (94) 197
Reichardt, J.K.V., see Daude, N. (94) 190
Reinhart, A.J., see Donahue, L.M. (94) 67
Reisert, I., see Lieb, K. (94) 37
Reshilov, L.N., see Joosten, E.A.J. (94) 99

Sanchez, M.D., Milanés, M.V., Pazos, A., Diaz, A. and Laorden, M.L.
Autoradiographic evidence of μ-opioid receptors down-regulation after prenatal stress in offspring rat brain (94) 14
Savola, J.-M., see Savola, M.K.T. (94) 106
Savola, M.K.T. and Savola, J.-M.
$\alpha_{2A/D}$-Adrenoceptor subtype predominates also in the neonatal rat spinal cord (94) 106
Simonetta, G., see Adams, M.B. (94) 182
Snyder-Keller, A. and Costantini, L.C.
Glutamate receptor subtypes localize to patches in the developing striatum (94) 246
Stehouwer, D.J., see Arnaiz, C.O. (94) 234

Taylor, L.L., see Arnaiz, C.O. (94) 234
Tenconi, B., Lesma, E., DiGiulio, A.M. and Gorio, A.
High opioid doses inhibit whereas low doses enhance neuritogenesis in PC12 cells (94) 175
Tolputt, J., see Nanda, D. (94) 238

Uchimura, H., see Watanabe, T. (94) 60
Urban, I., see Lieb, K. (94) 37

Van der Kooy, D.
Early postnatal lesions of the substantia nigra produce massive shrinkage of the rat striatum, disruption of patch neuron distribution, but no loss of patch neurons (94) 242
Van Hartesveldt, C., see Arnaiz, C.O. (94) 234
Vrbová, G., see Greensmith, L. (94) 152

Watanabe, T., Matsushima, S., Okazaki, M., Nagamatsu, S., Hirosawa, K., Uchimura, H. and Nakahara, K.
Localization and ontogeny of GLUT3 expression in the rat retina (94) 60
Weaver, D.R.
A_1-adenosine receptor gene expression in fetal rat brain (94) 205
Wortham, H.S., see Chaitin, M.H. (94) 92

Zienecker, R., see Lieb, K. (94) 37